Notice of Public Meeting of the

Water and Sewer Commission Board of the City of Yuma

Pursuant to A.R.S.§38-431.02, notice is hereby given to the members of the Water and Sewer Commission Board of the City of Yuma and to the general public that the Water and Sewer Commission Board will hold a meeting open to the public on April 03, 2023 at 5:00 p.m. in the Thomas F. Allt Utilities Complex Training Room, 270 W 13th Street, Yuma, Arizona. The Agenda for the meeting is a follows:



Water and Sewer Commission Meeting SUMMARY

Thomas F. Allt Utilities Complex Training Room 270 W 13th Street, Yuma, AZ 85364 Monday, April 03, 2023 5:00pm

Call to Order: 5:00 pm

I. Call to Order

Present: Vinod Mohindra Michael Wicks Carrie Scott

Cecil Boelts

Not Present: Lorna Brooks Tim Eisenmann Walt Schumacher

II. Roll Call

III. Administrative Items

A. Approval of Minutes

Michael Wicks made a motion to approve minutes from March 13, 2023. Cecil Boelts seconded the motion.

(Ayes – Mohindra, Boelts, Wicks & Scott)

- IV. Presentation Historic and Current Colorado River Conditions Discussed
- V. Presentation Water Resource Trust Fund Discussed
- VI. Approval of Recommendation:
 - a. Approve the reinstatement of the Water Resource Trust Fund for Yuma City Council Consideration and Approval – Discussed
- VII. Status of Current Events Discussed
- VIII. Call to Public No Public Present
- IX. Future Agenda Items None

Meeting Adjourned 6:07 pm

In accordance with the Americans with Disabilities Act (ADA) and Section 504 of the Rehabilitation Act of 1973 the City of Yuma does not discriminate on the basis of disability in the admission of or access to, or treatment or employment in, its programs, activities, or services. For information regarding rights and provisions of the ADA or Section 504, or to request reasonable accommodations for participation in City programs, activities, or services contact: ADA/Section 504 Coordinator, City of Yuma Human Resources Department, One City Plaza, Yuma, Arizona 85364; (928) 373-5125 or TTY (928) 373-5149.