



**ARIZONA DEPARTMENT
OF
ENVIRONMENTAL QUALITY**



1110 West Washington Street Phoenix, Arizona 85007

(602) 771-2300 www.azdeq.gov

Permit Authorization Certificate

Authorization Number: AZSM92132

Permit Name: **AZPDES Small Municipal Separate Storm Sewer
Systems (MS4s) General Permit**

LTF Number: **92132**

Permit Number: **AZG-2021-002**

Issue Date: **11/29/2021**

Revise Date: **09/27/2022**

Coverage Issued to:

Name: **CITY OF YUMA - ENGINEERING DEPARTMENT**

MS4 Contact Information:

Name: **JOSE G ANAYA**

Phone: **9283734520**

Work Email: **JERRY.ANAYA@YUMAAZ.GOV**

AZPDES MS4 Annual Permit Fee

Please note, that pursuant to Arizona Administrative Code, Title 18, Chapter 14,

Phoenix Office

1110 W.Washington Street . Phoenix, AZ 85007
(602)771-2300

Southern Regional Office

400 W.Congress Street . Suite 433 . Tucson, AZ 85701
(520)628-6733

www.azdeq.gov



**ARIZONA DEPARTMENT
OF
ENVIRONMENTAL QUALITY**



AZPDES SMALL MS4 NOI

LTF ID #: 92132

Phoenix Office

1110 W. Washington Street . Phoenix, AZ 85007
(602)771-2300

Southern Regional Office

400 W. Congress Street . Suite 433 . Tucson, AZ 85701
(520)628-6733

www.azdeq.gov

AZPDES SMALL MS4 NOI - SUMMARY

Company:

Name: CITY OF YUMA - ENGINEERING DEPARTMENT

Question: Who is the contact person?

Answer:

First Name: JOSE
MI: G
Last Name: ANAYA
Title/Role: Engineering Manager
Email Address: JERRY.ANAYA@YUMAAZ.GOV
Phone#: 9283734520 Ext #:4516

Question: Which of the following best describes your MS4 type?

Answer: City

What is the estimated population?: Population greater than 10,000, but less than or equal to 100,000

Question: Identify all protected surface waters in your MS4.

Answer:

Receiving Water Name: Colorado River
Total Outfalls: 4
HUC-Reach: Gila River - COLORADO RIVER @ 32°43'43.69"/114°37'13.18"
OAW: No
Impaired: No
Not-Attaining: No

Outfall Details:

Outfall Name/Number	Latitude	Longitude	Active	Inactive
Madison Avenue Outfall	32.727996	-114.619711	11/29/2021	
9th Avenue Outfall	32.729434	-114.630745	11/29/2021	

Phoenix Office

1110 W.Washington Street . Phoenix, AZ 85007
(602)771-2300

Southern Regional Office

400 W.Congress Street . Suite 433 . Tucson, AZ 85701
(520)628-6733

www.azdeq.gov

Outfall Name/Number	Latitude	Longitude	Active	Inactive
17th Avenue Outfall	32.730966	-114.640584	11/29/2021	
19th Avenue Outfall	32.731153	-114.642789	11/29/2021	

Question: Wet Season DMR/Monitoring Requirements for Discharges to Waters that are Impaired, Not-attaining, or OAWs.

Answer: Based on the information provided, there are no Wet Season DMR requirements.

Question: DMR/Monitoring Requirements for Stormwater Characterization Sampling.

Answer: MS4 permits are required to implement stormwater characterization monitoring within two years of obtaining coverage. For additional information, please contact the Stormwater Program at 602-771-1440.

Phoenix Office

1110 W.Washington Street . Phoenix, AZ 85007
(602)771-2300

Southern Regional Office

400 W.Congress Street . Suite 433 . Tucson, AZ 85701
(520)628-6733

www.azdeq.gov

CERTIFICATION OF SUBMISSION

JOSE G ANAYA

You validated your identity by answering your personal security question and password on myDEQ at **09:58 AM** on **09/27/2022**. At this time, you certified the summary information above by checking that you agreed to the following statement:

Pursuant to A.R.S. § 41-1030:

(1) ADEQ shall not base a licensing decision, in whole or in part, on a requirement or condition not specifically authorized by statute or rule. General authority in a statute does not authorize a requirement or condition unless a rule is made pursuant to it that specifically authorizes the requirement or condition.

(2) Prohibited licensing decisions may be challenged in a private civil action. Relief may be awarded to the prevailing party against ADEQ, including reasonable attorney fees, damages, and all fees associated with the license application.

(3) ADEQ employees may not intentionally or knowingly violate the requirement for specific licensing authority. Violation is cause for disciplinary action or dismissal, pursuant to ADEQ's adopted personnel policy. ADEQ employees are still afforded the immunity in A.R.S. §§ 12-821.01 and 12-820.02.

Certify your submission:

By checking this box I certify under penalty of law that this submittal was prepared by me, or under my direction or supervision of personnel appropriately qualified to properly gather and evaluate the information submitted. The information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I understand that all information submitted to ADEQ is public record unless otherwise identified by law as confidential. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

Phoenix Office

1110 W.Washington Street . Phoenix, AZ 85007
(602)771-2300

Southern Regional Office

400 W.Congress Street . Suite 433 . Tucson, AZ 85701
(520)628-6733

www.azdeq.gov

Article 109(C), you will be billed an annual permit fee equal to the initial fee until such time as you submit a Notice of Termination to close out your permit coverage.

Phoenix Office

1110 W.Washington Street . Phoenix, AZ 85007
(602)771-2300

Southern Regional Office

400 W.Congress Street . Suite 433 . Tucson, AZ 85701
(520)628-6733

www.azdeq.gov